AMENDMENTS TO THE CLAIMS

 (Original) A method for delivering a communication protocol to an electronic device, comprising:

physically attaching a first electronic device having a first communication protocol to a second device having a plurality of communication protocols, the plurality of communication protocols including the first communication protocol and a second communication protocol:

establishing communication between the first and second devices using the first communication protocol;

transferring the second communication protocol from the second device to the first device;

installing the second communication protocol on the first device; and switching to the second communication protocol for further communication.

- (Original) The method of claim 1 wherein the first and second communication protocol are software communication protocols.
- (Original) The method of claim 1 wherein the first and second electronic devices are handheld devices.
- (Original) The method of claim 1 wherein the established communication is point-to-point communication.

 (Original) A method for exchanging data between electronic devices, comprising:

physically attaching a first electronic device having a first communication protocol to a second device having a plurality of communication protocols, the plurality of communication protocols including the first communication protocol and a second communication protocol:

determining that the second communication protocol is not installed on the second device;

based on this determination, selecting the first communication protocol from the plurality of communication protocols; and

establishing communication between the first and second devices using the first communication protocol.

6. (Original) The method of claim 5 further comprising:

transferring the second communication protocol from the second device to the first device;

installing the second communication protocol on the first device; and switching to the second communication protocol for further communication.

7. (Original) An apparatus for delivering data to a handheld electronic device, the apparatus comprising:

non-volatile storage for storing a plurality of communication protocols including a first communication protocol and a second communication protocol; and a processor configured to:

establish communication with the handheld device using the first

communication protocol;

transfer the second communication protocol to the handheld device;

install the second communication protocol on the handheld device; and

switch to the second communication protocol for further communication

with the handheld device.

8. (Original) The apparatus of claim 7 further comprising an electrical connector

physically coupling the apparatus to the handheld device.

9. (Original) The apparatus of claim 7 wherein the first and second

communication protocol are software communication protocols.

10. (Original) The apparatus of claim 7 wherein the established communication is

point-to-point communication.

4